

Hk007-01 VIP bolus 投与スケジュール 1クール day21														
day-1				day1				day2				day3		
メイン1	メイン2	メイン2の側管		メイン1	メイン2	メイン2の側管		メイン1	メイン2	メイン2の側管		メイン1	メイン2	メイン2の側管
0-			0-	①ラクテック 500mL			0-	①ラクテック 500mL	①ソルデム1 500mL		0-	①ラクテック 500mL	①ソルデム1 500mL	
1-			1-	↓			1-	↓	↓		1-	↓	↓	
2-			2-	↓			2-	↓	↓		2-	↓	↓	
3-			3-	↓			3-	↓	↓		3-	↓	↓	
4-			4-	↓			4-	↓	↓		4-	↓	↓	
5-			5-	↓			5-	↓	↓		5-	↓	↓	
6-			6-	↓			6-	↓	↓		6-	↓	↓	
7-			7-	↓			7-	↓	↓		7-	↓	↓	
8-			8-	①ソルデム3AG 500mL		10:30-11:30	8-	①ソルデム3AG 500mL	①ソルデム1 500mL	10:30-11:30	8-	①ソルデム3AG 500mL	①ソルデム1 500mL	10:30-11:30
9-			9-	↓		①生食 50mL	9-	↓	↓	①生食 50mL	9-	↓	↓	①生食 50mL
10-			10-	↓	①ラクテック 500mL	①ラクテック 500mL	10-	↓	↓	①ラクテック 500mL	10-	↓	↓	①ラクテック 500mL
11-			11-	↓	②ラクテック 500mL	②ラクテック 500mL	11-	↓	↓	②ラクテック 500mL	11-	↓	↓	②ラクテック 500mL
12-			12-	↓	MAX 1.5g/㎡	①生食 500mL	12-	↓	↓	①生食 500mL	12-	↓	↓	①生食 500mL
13-	①ソルデム3A 500mL		13-	↓	↓	イホマイド(1.2g/㎡)	13-	↓	↓	イホマイド(1.2g/㎡)	13-	↓	↓	イホマイド(1.2g/㎡)
14-	↓		14-	↓	①ソルデム3A 500mL	①生食 50mL	14-	↓	↓	①生食 50mL	14-	↓	↓	①生食 50mL
15-	↓		15-	↓	↓	②ラクテック 500mL	15-	↓	↓	②ラクテック 500mL	15-	↓	↓	②ラクテック 500mL
16-	↓		16-	↓	MAX 120mg/㎡	①生食 500mL	16-	↓	↓	①生食 500mL	16-	↓	↓	①生食 500mL
17-	↓		17-	↓	②ソルデム3AG 500mL	②ソルデム3AG 500mL	17-	↓	①ソルデム1 500mL	②ソルデム3AG 500mL	17-	↓	①ソルデム1 500mL	②ソルデム3AG 500mL
18-	↓		18-	↓	③ラクテック 500mL	③ラクテック 500mL	18-	↓	↓	③ラクテック 500mL	18-	↓	↓	③ラクテック 500mL
19-	②ソルデム3A 500mL		19-	↓	③ソルデム3A 500mL	③ソルデム3A 500mL	19-	↓	↓	③ソルデム3A 500mL	19-	↓	↓	③ソルデム3A 500mL
20-	↓		20-	↓	↓	②ラクテック 500mL	20-	↓	↓	②ラクテック 500mL	20-	↓	↓	②ラクテック 500mL
21-	↓		21-	↓	↓	③ソルデム3A 500mL	21-	↓	↓	③ソルデム3A 500mL	21-	↓	↓	③ソルデム3A 500mL
22-	↓		22-	↓	↓	③ソルデム3A 500mL	22-	↓	↓	③ソルデム3A 500mL	22-	↓	↓	③ソルデム3A 500mL
23-	↓		23-	↓	↓	③ソルデム3A 500mL	23-	↓	↓	③ソルデム3A 500mL	23-	↓	↓	③ソルデム3A 500mL
全て下ルート														
②ラクテック 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														
③ソルデム3A 500mL														

day4			day5			day6			day7		
メイン1	メイン2	メイン2の飼育	メイン1	メイン2	メイン2の飼育	メイン1	メイン2	メイン2の飼育	メイン1	メイン2	メイン2の飼育
0- ①ラケテック 500mL	①ソルデム1 500mL		0- ①ラケテック 500mL	①ソルデム1 500mL		0- ①ラケテック 500mL	①ソルデム1 500mL		0- ①ラケテック 500mL	①ソルデム1 500mL	
1- ↓	↓		1- ↓	↓		1- ↓	↓		1- ↓	↓	
2- ↓	↓		2- ↓	↓		2- ↓	↓		2- ↓	↓	
3- ↓	↓		3- ↓	↓		3- ↓	↓		3- ↓	↓	
4- ↓	↓		4- ↓	↓		4- ↓	↓		4- ↓	↓	
5- ↓	↓		5- ↓	↓		5- ↓	↓		5- ↓	↓	
6- ↓	↓		6- ↓	↓		6- ↓	↓		6- ↓	↓	
7- ↓	↓		7- ↓	↓		7- ↓	↓		7- ↓	↓	
8- ①ソルデム3AG 500mL	①ソルデム1 500mL	10:30-11:30 ①生食 50mL ②BSチキサン 400mg	8- ①ソルデム3AG 500mL	①ソルデム1 500mL	10:30-11:30 ①生食 50mL ②BSチキサン 400mg	8- ①ソルデム3AG 500mL	①ソルデム1 500mL		8- ①ソルデム3AG 500mL	①ソルデム1 500mL	
9- ↓	↓	11:30-13:30 ①生食 500mL	9- ↓	↓		9- ↓	↓		9- ↓	↓	
10- ↓	↓	①ホマイド(1.2g/㎡)	10- ↓	↓		10- ↓	↓		10- ↓	↓	
11- ↓	↓	③0-14 ②生食 50mL ④BSチキサン 400mg	11- ↓	↓		11- ↓	↓		11- ↓	↓	
12- ↓	↓	14-30 ①クラニセトロキット3mg デキサート 6.6mg	12- ↓	↓		12- ↓	↓		12- ↓	↓	
13- ↓	↓	14:30-16:30 ①生食 500mL エトボシンド(100mg/㎡)	13- ↓	↓		13- ↓	↓		13- ↓	↓	
14- ↓	↓		14- ↓	↓		14- ↓	↓		14- ↓	↓	
15- ↓	↓		15- ↓	↓		15- ↓	↓		15- ↓	↓	
16- ②ソルデム3AG 500mL	①ソルデム1 500mL		16- ②ソルデム3AG 500mL	①ソルデム1 500mL		16- ②ソルデム3AG 500mL	①ソルデム1 500mL		16- ②ソルデム3AG 500mL	①ソルデム1 500mL	
17- ↓	↓	全て下ルート	17- ↓	↓		17- ↓	↓		17- ↓	↓	
18- ↓	↓	エトボシンドはファイルターなし!	18- ↓	↓		18- ↓	↓		18- ↓	↓	
19- ↓	↓		19- ↓	↓		19- ↓	↓		19- ↓	↓	
20- ↓	↓	20-21②クラニセトロキット3mg デキサート注6.6mg	20- ↓	↓		20- ↓	↓		20- ↓	↓	
21- ↓	↓		21- ↓	↓		21- ↓	↓		21- ↓	↓	
22- ↓	↓		22- ↓	↓		22- ↓	↓		22- ↓	↓	
23- ↓	↓		23- ↓	↓		23- ↓	↓		23- ↓	↓	